

Q1067

# My Farmhouse Kitchen

by Cat Williams

Table Runner 16" x 90"  
(Non-directional)

Wall Hanging 16" x 90" (Directional)

FREE  
PATTERN  
OFFERED  
IN INDEPENDENT  
QUILT SHOPS TO  
COMPLEMENT THIS  
FABRIC COLLECTION.

W= Wall Hanging (or Table Runner)

P= Placemat (set of 4)

G= Grocery Bag

Coordinating  
Apron Panel  
(98144-213)

Placemat: 16" x 12"



Fabric A  
98143-235

W-One 36" panel (1 yard)

includes extra labels for other projects.



Fabric B  
98145-423

W-2/3 yard



Fabric C  
98146-153

P-1 yard (backing only)



Fabric E  
98148-453  
G-5/8 yard



Fabric I  
98151-155  
G-1 1/8 yards  
(includes lining)



Fabric D  
98148-253  
W-2 yards (backing only)



Fabric F  
98149-229  
W-1/4 yard, P-3/8 yard  
G-3/4 yard




Fabric J (Complements)  
Q1013-51000-333  
W-1/4 yard  
P-3/8 yard




Fabric G  
98149-252  
P-7/8 yard



Fabric K (Complements)  
Q1080-31588-757  
W-1/2 yard  
P-3/8 yard



Fabric H  
98150-145  
W-3/4 yard  
P-5/8 yard



Fabric L (Complements)  
Q1402-26035-449  
W-1/2 yard  
P-3/8 yard



Suggested Hot Pads  
& Towel Borders

Suggested  
Recipe Book Covers

Grocery Bag



# My Farmhouse Kitchen

*Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.*

## Wall Hanging OR Table Runner Instructions approximate size: 19" x 60"

### 1. Cut the following:

**Fabric A** - \*\*Cut 4 - 8 3/4" x 8 3/4" squares (center designs evenly)

**Fabric B** - Cut lengthwise 2 - 4 1/2" x 16 1/2"

**Fabric D** - BACKING - cut 1 - 19 1/2" x 60 1/2" (or exact size of your quilt)

**Fabric F** \*\* Cut 4 - 7/8" strips, subcut 8 - 7/8" x 8 3/4" and 8 - 7/8" x 9 1/2"

**Fabric H** - Cut 1 - 9 1/2" strip, subcut 13 - 2 1/2" x 9 1/2" sashing strips

Borders - Cut 5 - 2" strips, sew end to end, then subcut 2 - 2" x 57 1/2" and 2 - 2" x 19 1/2"

**Fabric J** - Cut 2 - 2 1/2" strips, subcut 19 - 2 1/2" squares (16 star tips, 3 centers)

**Fabric K** - Cut 2 - 2 1/2" strips, subcut 19 - 2 1/2" squares (16 star tips 3 centers)

Borders - Cut 4 - 1 1/2" strips, sew end to end then subcut 2 - 1 1/2" x 47 1/2" and 2 - 1 1/2" x 16 1/2"


**Fabric L** - Cut 2 - 2 1/2" strips, subcut 24 - 2 1/2" squares (20 star tips, 4 centers)

Borders - Cut 4 - 1" strips, sew end to end, then subcut 2 - 1" x 46 1/2" and 2 - 1" x 13 1/2"

Thin Batting - Cut 1 - 19 1/2" x 60 1/2" (or exact size of your quilt)


### 2. Piecing Order:

1. Sew **F** 7/8" borders around 4 **A** 8 3/4" squares, **SIDES** first, then **TOP** and **BOTTOM** borders according to the diagram. \*\* (If **A** measurements are slightly different, cut **F** borders slightly larger, sew around **A** squares, then then trim all blocks to measure 9 1/2" x 9 1/2".)




2. Make 13 sashing strips with star tips by using the Sew 'n Flip method. First, on the backside of 10 **L**, 8 **J** and 8 **K** 2 1/2" squares, measure 1 3/8" from the right corner across the top of each square and mark with a dot. Next, draw a diagonal line connecting dot to the bottom right corner of the square according to the diagram for the **RIGHT** star tips. Make **LEFT** star tip by measuring and drawing on the backside of 10 **L**, 8 **J** and 8 **K** 2 1/2" squares. Make a dot 1 3/8" from the left top corner, then draw a diagonal line from dot to the bottom left corner of each square according to the diagram.

right star tips



backside of 10 **L**,  
8 **J** and 8 **K**


left star tips



backside of 10 **L**,  
8 **J** and 8 **K**

Next, place a 2 1/2" **RIGHT** star tip square over both ends of **H** 2 1/2" x 9 1/2" sashing strips, right sides together and match corners. Stitch **ON** the diagonal lines. Flip and press star tip fabric outward to cover sashing corner. Use sashing rectangle as a guide and trim excess star tip fabric by trimming from the backside.


Once excess star tip fabric is trimmed even with sashing rectangle, trim underneath sashing fabric 1/4" from seam.



place **RIGHT** star tips over opposite corners of sashing




stitch on the line and press outward



trim excess star tips even with sashing

## Page 2

2. Cont. Next, place LEFT 2 1/2" star tip squares over sashing corners, right sides together and match raw edges. Pay attention to the direction of the drawn line according to the diagram. Repeat the same steps: stitch, flip, press and trim for 13 sashing strips. Make 5 L/K, 5 L/J and 3 K/J sashing strips according to the diagrams.




3. Sew a 2 1/2" corner square to each end of sashing strips according to the diagrams.




4. Sew sashing strips to both sides of A blocks according to the diagram to the right. \*The direction of A blocks (and B borders) is optional - all blocks facing forward for Wall Hanging and blocks facing left and right for Table Runner. Then sew rows of blocks and sashing rows together for quilt center.

5. Sew L 1" borders around the quilt, SIDES first, then TOP and BOTTOM borders. Then sew K 1 1/2" borders around the quilt, SIDES first, then TOP and BOTTOM borders.

6. Sew B 4 1/2" x 16 1/2" to the quilt's TOP and BOTTOM. Then sew H 2" borders around the quilt, SIDES first, then TOP and BOTTOM borders according to the diagram.



7. Layer batting, backing (right side up) and Wall Hanging or Table Runner (right side down). Match raw edges and secure with pins. Stitch 1/4" around edge of quilt, leaving approximately 12" open for turning. Clip corners and turn quilt right sides out. Press. Stitch opening closed, then stitch 1/4" around edge of quilt to create faux binding. Add optional quilting and enjoy.





# Placemat Instructions (set of 4)

approximate size: 14" x 16" each

## 1. Cut the following:

**Fabric C - Backing** - Cut 2 - 14 1/2" strips, subcut 4 - 14 1/2 x 16 1/2"

**Fabric F, J, K and L** - Cut the following from each fabric - Cut 3 - 2 1/2" strips, subcut 36 - 2 1/2" squares (32 - star tips, 4 - centers)

**Fabric G** - Cut 1 - 4 1/2" strip, subcut 4 - 4 1/2" squares  
Cut 7 - 2 1/2" strips, subcut 112 - 2 1/2" squares



**Fabric H** - Borders: Cut 3 - 2 1/2" strips, subcut 8 - 2 1/2" x 12 1/2"

Cut 4 - 1 1/2" strips, subcut 8 - 1 1/2" x 16 1/2"

**Thin Batting** - Cut 4 - 14 1/2" x 16 1/2"

## 2. Piecing Order:


1. Draw a diagonal line on the backside of 16 **F, J, K** and **L** 2 1/2" squares. First, make a mark 1 3/8" from the top right corner. Connect mark with bottom corner of each square by drawing a diagonal line according to the diagram for the RIGHT star tips. Repeat the same steps for making the LEFT star tips by drawing a diagonal line on the backside of 16 **F, J, K** and **L** 2 1/2" squares and measure 1 3/8" from the top left corner according to the diagram.




2. Place a 2 1/2" right star tip square over **G** 2 1/2" square, right sides together and match raw edges. Stitch ON the drawn line. Press star tip fabric outward then trim excess even with **G** square. Once excess tip fabric is trimmed, trim underneath **G** fabric 1/4" from seam.

Next, place a 2 1/2" left star tip square over the adjacent corner of **G**. Repeat the same steps: stitch on the line, press outward, trim excess star tip, trim excess **G** underneath.

Make 16 star tip blocks of **Fabric F, J, K, and L**.




3. Sew center of placemats by rows according to the diagram.




make 4

4. Sew **H** 2 1/2" x 12 1/2" to both SIDES of all center blocks, then sew **H** 1 1/2" x 16 1/2" to the TOP and BOTTOM according to the diagram..



5. Finishing the placemats: layer batting, backing (right side up) placemat (right side down). Match raw edges and secure with pins. Stitch 1/4" around edge of each placemat, leaving approximately 8" open for turning. Clip corners and turn placemats right side out. Press. Stitch opening closed. Topstitch 1/4" around outer edge of each placemat to create faux binding. Add optional quilting and enjoy!!



# Grocery Bag Instructions

approximate size: 12" x 15" x 6"

## 1. Cut the following:

**Fabric A** - Cut 2 labels approximately 4 1/2" x 4 1/2"  
(to be appliquéd)

**Fabric E** - Cut 1 - 12 1/2" strip, subcut 2 - 12 1/2" x 18 1/2"  
(Front and Back)

Cut 2 - 4 1/2" x 8 1/2" (pockets)

**Fabric F** - Handles - Cut 2 - 6" strips

**Fabric I** - cut 1 - 6 1/2" strip, subcut 2 - 6 1/2" x 18 1/2"  
(bottom)

Lining - Cut 1 - 19 1/2" strip, subcut 2 - 19 1/2" x 18 1/2"

Pocket lining - Cut 2 - 4 1/2" x 8 1/2"


Optional batting - Cut 2 - 18 1/2" x 18 1/2"

## 2. Piecing Order:

1. Handles: Double fold two 6" **F** strips. First, press both strips in half, then open strips and fold both edges to the center pressed line. Press. Next, fold again and match folded edges. Press. Topstitch 1/8" along both sides of each handle for 2 - 1 1/2" x 40" handles.




2. Pockets: Iron double-sided fusible web to the backside of two **A** "labels". Cut out each design, then place on top of **E** 4 1/2" x 8 1/2" pockets. Iron in place, then machine embroidery stitch or use a decorative topstitch and stitch a label to each pocket front. Next, place pocket lining (**Fabric I**) over pocket, right sides together and match raw edges. Stitch top seam only. Fold lining fabric over and press pocket.




3. Next, place pocket (right side up) over **Fabric E** front and back of bag, by centering evenly and lining up with bottom raw edge according to the diagram. Double stitch bottom pocket seam only for extra support.


Next, place a handle over both front and back pieces, lining up bottom raw edge and over pocket sides. Stitch both sides of handle to the front and back pieces, stopping 2" from top of both pieces. Backstitch to secure seams at the bag top.




4. Next, sew **I** 6 1/2" x 18 1/2" strip to the bottom of each piece. Press.



5. Pin handles away from top raw edge of both front and back pieces. (Optional batting may be layered under bag front and back for a stronger bag.) Place **Fabric I** lining over bag pieces, right sides together. Stitch top seam only. Press.



6. Next, place Front and Back pieces right sides together, match raw edges and secure with pins. Stitch 1/4" around bag edge, leaving approximately 7" open for turning along one side of the lining, at least 5" from the corner.



7. Make boxed corners along the bottom by folding bottom seam to match side seam, create a flattened triangle. The width of the triangle will determine the width of the bag. Take a seam approximately 3" - 5" from the tip of the triangle. Repeat for all 4 corners (bag and lining). Pull bag thru opening, Stitch opening closed. Fold lining inside bag, leaving approximately 1/2" of lining showing at top of bag. Press and topstitch in seam to secure lining. Enjoy!!

